Avoid Damage to Your Display


• • • Read all instructions below • • •

Pack and Unpack Carefully

Check for caught skins.



Check for twisted skins.



opening/closing instructions

Opening Xpressions™ Frame:

- 1. Take frame from box, Lay frame in front of you with the red hubs on the floor.
- 2. Make sure all skins are straight around the button holes
- 3. Take hold of he frame and carefully pull the frame up.
- 4. Snap all connectors into place.

Closing Xpressions™ Frame:

- 1. Unsnap all connectors
- 2. Slowly lower frame to the floor
- 3. Turn frame so front side is facing upward and tuck in all skins making sure they are straight at button holes.
- 4. For skins on the opposite side (back dimension) of the frame, turn frame over straighten as best you can and let the skins fall to one side.


Care Instructions

Machine wash cold or warm. Do not use bleach. Tumble dry low setting. Do not exceed 120°. Remove immediately to prevent wrinkling. Do not iron directly on logo, iron on backside of image Meets: NFPA#701



xpressions SNAP!

AVOID DAMAGE TO YOUR DISPLAY, USE PROPER SET-UP PROCEDURE. ONE PERSON SET.UP





2. Place the frame on the floor -





display.

2. Place the frame on the floor - graphic side down; feet facing you.










6. With an even and controlled motion, extend your arms up and out, until you hear the snap!







autoxlock may come preinstalled on your display, IMPORTANT make sure to manually release the auto x lock before breaking down.

For More Information Visit www.xpressions-snap.com / help and support / tutorials.



AVOID DAMAGE TO YOUR DISPLAY, USE PROPER SET-UP PROCEDURE.

TWO PERSON SET.UP



1. With 2 people, gently spread your display.





3. Gently lift display upward so the weight is off the ground, this helps all magnetic connectors attach.



4. autoXlocks will connect on their own! IMPORTANT make sure to manually release the auto x lock before breaking down.